

# **COMPANY PROFILE**

PARKINS PLASTIC MACHINERY CO., LTD. was established in 1976 under the leadership of President C.I. Lin. PARKINS has successfully developed the most comprehensive range of plastic bag sealing and cutting machines with 40 years of experiences and that makes it to be rewarded as one of the leading manufacturers in Taiwan plastic machinery industry. PARKINS' machines have been sold in over 60 countries, and received full approval from customers over the world.

Based on PARKINS' the advanced bag making concepts, we are equipped with high-quality spare parts, and advanced devices to increase product functionality; at the same time maintaining the stability and guality during bag making process. We adopt modern production management, and all parts are precision machined by sophisticated CNC equipment to ensure machine accuracy and parts interchangeability.

"PARKINS" written in Chinese as "BAI-JIU" implicates "Everlasting Century". We will uphold our principle of sustainability and keep striving for more enhanced machines and superior technical services for our valuable customers.

We manufacture a variety of bag making machines. Products including High-Speed T-shirt Bag, Perforating Bag-on-roll Garbage Bag, Bottom-Sealing Bag, Heavy-Duty Bag, Laundry-Bag, Side-Sealing Bag, Calendar Bag, EVA or PE material deposable Gloves, and etc..

Kindly refer to our website: www.parkins.com.tw for more information. Please do not hesitate to email or call us for any further questions or inquiries. We will provide our most competitive quotations and delivery time to meet your requirements and needs. We believe that you will discover the machine that surpasses your needs.

# **PARKINS PLASTIC** MACHINERY

www.parkins.com.tw

- 03 BJAB+S
- BJABP+AS1 04
- BJABP+AS2 05
- BJABP+AS3 06
- BJABP+PK2 08

## BJAB+S Servo-Control High-Speed T-Shirt Bag Making Machine





### FEATURES >>

- BJAB+S One set of photocell for printing bags in one lane.
- BJAAB+SS Two sets of photocells for printing bags in two lanes.
- This machine is specialized for T-shirt bag production.

### SPECIFICATIONS >>

MODEL	BJAB+S 20x30	BJAB+S 28x30	BJAB+S 32x30	BJAAB+SS 28x30	BJAAB+SS 32x3
Max. Cutting Width mm (inch)	457 ( 18")	660 (26")	762 ( 30")	304 (12") x 2	355 ( 14") x 2
Max. Cutting Length mm (inch)	762 ( 30")	762 ( 30")	762 ( 30")	762 ( 30")	760 ( 30")
Thickness (micron)	9 - 40	9 - 40	9 - 40	9 - 40	9 - 40
Length Tolerance mm	±1	±1	±1	±1	±1
Production Rate (pcs / min)	max.180	max.180	max.180	max.180	max.180
AC Driving Motor (HP)	2	2	2	2	2
Heater Capacity (kW)	3	4.5	4.9	4.5	4.9
Power Required (kW)	7.3	10.2	10.6	13.2	13.6
Machine Dimensions (L*W*H cm)	270 x 115 x 145	270 x 135 x 145	270 x 145 x 145	270 x 155 x 145	270 x 165 x 145
Machine Weight (kg)	850	1000	1100	1050	1150
Packing Measurements (L*W*H cm)	203 x 135 x 173	203 x 155 x 173	203 x 165 x 173	203 x 170 x 173	203 x 180 x 173
Gross Weight (kg)	1000	1200	1300	1250	1350

Correct specifications depend on the actual model. All specifications are subject to change without prior notice.



BJABP+AS1 | Single-Lane Fully Automatic Servo-Control High Speed T-Shirt Bag Making Machine



## FEATURES >>

- This machine utilizes a servomotor for sending film and ensuring accuracy of bag length. In any case when machine stops functioning.
- This machine is specialized for T-shirt bag production with auto punching unit.

#### SPECIFICATIONS >>

BJABP+AS1 28"	BJABP+AS1 32"	BJABP+AS1 40"	
228 - 660 (9"- 26")	254 - 762 (10"- 30")	279 - 965 ( 11" - 38")	_
304 - 635 ( 12"- 25")	304 - 635 ( 12"- 25")	304 - 635 ( 12"- 25")	
9 - 40	9 - 40	9 - 40	
±1	±1	±1	
max.300	max.300	max.300	
2	2	2	
5.2	5.8	6.7	
13.6	14.2	15.1	
650 x 155 x 200	650 x 165 x 200	650 x 185 x 200	
3500	3800	4400	
-	-	-	
310 x 131 x 208	310 x 141 x 208	310 x 161 x 208	
195 x 200 x 185	205 x 200 x 185	225 x 200 x 185	
230 x 170 x 195	230 x 180 x 195	230 x 200 x 195	
4200	4600	5300	
	$228 - 660 (9" - 26")$ $304 - 635 (12" - 25")$ $9 - 40$ $\pm 1$ max.300 $2$ $5.2$ $13.6$ $650 \times 155 \times 200$ $3500$ $-$ $310 \times 131 \times 208$ $195 \times 200 \times 185$ $230 \times 170 \times 195$	$228 - 660 (9" - 26")$ $254 - 762 (10" - 30")$ $304 - 635 (12" - 25")$ $304 - 635 (12" - 25")$ $9 - 40$ $9 - 40$ $\pm 1$ $\pm 1$ max.300max.300 $2$ $2$ $5.2$ $5.8$ $13.6$ $14.2$ $650 \times 155 \times 200$ $650 \times 165 \times 200$ $3500$ $3800$ $  310 \times 131 \times 208$ $310 \times 141 \times 208$ $195 \times 200 \times 185$ $230 \times 180 \times 195$	$228 - 660 (9" - 26")$ $254 - 762 (10" - 30")$ $279 - 965 (11" - 38")$ $304 - 635 (12" - 25")$ $304 - 635 (12" - 25")$ $304 - 635 (12" - 25")$ $9 - 40$ $9 - 40$ $9 - 40$ $\pm 1$ $\pm 1$ $\pm 1$ max.300max.300max.3002225.25.86.713.614.215.1650 x 155 x 200650 x 165 x 200650 x 185 x 200350038004400310 x 131 x 208310 x 141 x 208310 x 161 x 208195 x 200 x 185205 x 200 x 185225 x 200 x 185230 x 170 x 195230 x 180 x 195230 x 200 x 195





#### FEATURES >>

- The machine is especially designed for making T-shirt bags with high productivity.
- This machine utilizes two servomotors for sending film ensuring accuracy of bag length.

#### SPECIFICATIONS >>

MODEL	BJABP+AS2 28"	BJABP+AS2 32"	BJABP+AS2 40"
Max. Cutting Width mm (inch)	177 - 304 ( 7" - 12") x 2	203 - 355 ( 8"- 14") x 2	228 - 457 ( 9" - 18") x 2
Max. Cutting Length mm (inch)	304 - 635 ( 12"- 25")	304 - 635 ( 12"- 25")	304 - 635 ( 12"- 25")
Thickness (micron / sheet)	9 - 40	9 - 40	9 - 40
Length Tolerance (mm)	±1	±1	±1
Production Rate (pcs / min)	max.300	max.300	max.300
AC Driving Motor (HP)	2	2	2
Heater Capacity (kW)	5.2	5.8	6.7
Power Required (kW)	18	18.6	19.5
Machine Dimensions (L*W*H cm)	650 x 155 x 200	650 x 165 x 200	650 x 185 x 200
Machine Weight (kg)	3600	3900	4500
Packing Measurement	-	-	-
Punching (L*W*H cm)	310 x 131 x 208	310 x 141 x 208	310 x 161 x 208
Main (L*W*H cm)	195 x 200 x 185	205 x 200 x 185	225 x 200 x 185
Rear Feeding (L*W*H cm)	230 x 170 x 195	230 x 180 x 195	230 x 200 x 195
Gross Weight (kg)	4200	4600	5300

Correct specifications depend on the actual model. All specifications are subject to change without prior notice.



BJABP+AS2 | Double-Lane Fully Automatic Servo-Control High Speed T-Shirt Bag Making Machine

It produces bags from input film to output products by two auto high-speed production lines.

BJABP+AS2 05

BJABP+AS3 | Triple-Lane Fully Automatic Servo-Control High Speed T-Shirt Bag Making Machine.



# RKINS PLASTIC MACHI IFRY



#### SPECIFICATIONS >>

BJABP+AS3

06

MODEL	BJABP+AS3 50"
Max. Cutting Width mm (inch)	152 - 330 ( 6"- 13" ) x 3
Max. Cutting Length mm (inch)	304 - 635 ( 12"- 25")
Thickness (micron / sheet)	9 - 40
Length Tolerance (mm)	±1
Production Rate (pcs / min)	max.250
AC Driving Motor (HP)	2
Heater Capacity (kW)	8.6
Power Required (kW)	27.8
Machine Dimensions (L*W*H cm)	650 x 210 x 200
Machine Weight (kg)	5300
Packing Measurement	-
Punching (L*W*H cm)	310 x 185 x 206
Main (L*W*H cm)	210 x 229 x 175
Rear Feeding (L*W*H cm)	210 x 200 x 185
Gross Weight (kg)	6150

Correct specifications depend on the actual model. All specifications are subject to change without prior notice.

## FEATURES >>

- TThe machine is especially designed for making T-shirt bags with high productivity. It produces bags from input film to output products by three auto high-speed production lines.
- This machine utilizes three servomotors for sending film, ensuring accuracy of bag length.



BJABP+PK2 Double-Lane Fully Automatic Servo-Control High Speed T-Shirt Bag Making Machine with Packaging Device




## FEATURES >>

- The machine is especially designed for making T-shirt bags with auto packaging device.
- This machine utilizes two servomotors for sending film, ensuring accuracy of bag length.

#### SPECIFICATIONS >>

MODEL	BJABP+PK2 28"	BJABP+PK2 32"	BJABP+PK2 40"
Max. Cutting Width mm (inch)	177 - 304 ( 7"- 12") x 2	203 - 355 ( 8"- 14") x 2	228 - 457 (9"- 18") x 2
Max. Cutting Length mm (inch)	304 - 635 ( 12"- 25")	304 - 635 ( 12"- 25")	304 - 635 ( 12"- 25")
Thickness (micron / sheet)	9 - 40	9 - 40	9 - 40
Length Tolerance (mm)	±1	±1	±1
Production Rate (pcs / min)	max.300	max.300	max.300
AC Driving Motor (HP)	2	2	2
Heater Capacity (kW)	10.2	10.6	12.2
Power Required (kW)	23	24.4	31.7
Machine Dimensions (L*W*H cm)	920 x 155 x 200	920 x 165 x 200	920 x 185 x 200
Machine Weight (kg)	4400	4900	5800
Packing Measurement	-	-	-
Package (L*W*H cm)	300 x 185 x 215	300 x 195 x 215	300 x 215 x 215
Punching (L*W*H cm)	300 x 131 x 208	310 x 141 x 208	310 x 161 x 208
Main (L*W*H cm)	195 x 200 x 185	205 x 200 x 185	225 x 200 x 185
Rear Feeding (L*W*H cm)	230 x 170 x 195	230 x 180 x 195	230 x 200 x 195
Gross Weight (kg)	5200	5900	6600









## 嘉義縣水上鄉回歸村北回123號

NO.123 Pei Hui, Hui Kuei Village, Shui Shang Township, Chiayi County, Taiwan. TEL:+886-5-2358505, 2359505, 2356586 FAX:+886-5-2359463 E-mail: pks8989@ms12.hinet.net / bj8899@ms39.hinet.net http://www.parkins.com.tw

